AMENDMENTS TO THE CLAIMS

Amendments to the claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

-	
<u>Listing</u>	g of Claims:
1.	(cancelled)
2.	(cancelled)
3.	(cancelled)
4.	(cancelled)
5.	(cancelled)
6.	(cancelled)
7.	(cancelled)
8.	(cancelled)
9.	(cancelled)
10.	(cancelled)
11.	(currently amended) A transponder unit for use in a remote tire pressure monitoring a for a trailer unit vehicle which includes a plurality of remote tire pressure sensors
-	eted to respective tires of the trailer unit, wherein each pressure sensor is adapted to

tire, the transponder unit comprising:

wirelessly transmit a wireless signal with information about the condition of its respective

- a receiver for <u>wirelessly</u> receiving the transmitted wireless signals from the individual pressure sensors;
- a signal processor for processing the signals <u>received by the receiver</u> from the <u>pressure sensors</u> and generating a coded signal for wireless transmission which identifies the transponder unit and <u>individual pressure sensor locations</u> tire location; and,
- a transmitter for <u>wirelessly</u> transmitting the wireless coded signal to a remote receiver where information can be displayed to a driver about the tires associated with the transponder unit.
- 12. (original) A transponder unit according to claim 11, further comprising a memory to store a unique identification code to identify the transponder unit.
- 13. (currently amended) A remote tire pressure monitoring system comprising a transponder unit according to claim 11, in combination with a cab unit, the cab unit comprising:
- a receiver for <u>wirelessly</u> receiving the wireless coded signal from the transponder unit;
 - a signal processor for detecting and decoding the coded signal; and,
- a display for providing the driver with information about the condition of the tires associated with the transponder unit.
- 14. (previously presented) A remote tire pressure monitoring system according to claim 13, further comprising a vehicle trailer on which the transponder unit is mounted.
- 15. (previously presented) A remote type pressure monitoring system according to claim 13, in which the remote tire pressure sensors are battery-powered tire pressure sensors, each battery-powered tire pressure sensor comprising:
- a pressure transducer for sensing a pressure of a tire and providing a tire pressure signal;
 - a transmitter;
- a signal processor connected to the pressure transducer for providing a signal dependent on the tire pressure signal to the transmitter; and

- a timing circuit connected to the signal processor which is configured to automatically switch the tire pressure sensor on periodically for a predetermined interval to measure the tyre pressure and switch off the tire pressure sensor at all other times to conserve battery power in which the timing circuit comprises a timer and a switch, the timer being configured to periodically actuate the switch and thereby connect the pressure sensor to the battery to turn the tire pressure sensor on for said predetermined interval.
- 16. (previously presented) A vehicle comprising a cab unit and a trailer unit connectable to the cab unit, comprising a remote tire pressure monitoring system according to claim 13.
- 17. (original) A vehicle according to claim 16, in which the transponder unit is responsive to transmit an identification signal to the remote receiver when power is first supplied to the transponder unit.
- 18. (original) A vehicle according to claim 17, in which power is supplied to the transponder unit by activation of the vehicle brake light line.
- 19. (previously presented) A vehicle according to claim 16, wherein the receiver of the transponder unit has a processor programmed to recognise transmissions from sensors connected to wheels of the trailer and ignore all others.